

Serial No. 09/980,434

Filed: November 28, 2001

**Amendments to the Claims**

This listing of claims will replace all prior versions, and listings of claims in the application.

**LISTING OF CLAIMS:**

1. (Original) A location reporting method, comprising the steps of:  
receiving by a mobile communication terminal, from a computer through a mobile communication network, down data containing a request for location information;  
acquiring by said mobile communication terminal location information indicating the location of itself; and  
transmitting, by said mobile communication terminal, after adding said acquired location information to said received data, said data to said computer as up data.
2. (Original) A location reporting method as described in Claim 1,  
wherein said steps performed by said mobile communication terminal further include the step of: detecting whether said down data contains a character string requesting location information acquisition time;  
wherein, said acquiring step further includes acquiring the acquisition time of said location information; and  
wherein, said transmitting step further includes adding said acquired location information acquisition time before transmission.
3. (Original) A location reporting method as described in Claim 1, wherein said steps performed by said mobile communication terminal further include the steps of: detecting whether said down data contains a character string requesting information on a state of a user or not; and determining the state of the user of said mobile communication terminal from said acquired location information; and  
wherein, said transmitting step further includes adding said information on said determined state of the user before transmission.

Serial No. 09/980,434

Filed: November 28, 2001

4. (Original) A location reporting method as described in Claim 1, wherein said steps performed by said mobile communication terminal further include the steps of: detecting whether said down data contains a character string requesting information on a state of a user or not; and prompting the user of said mobile communication terminal to select his/her own state; and

wherein, said transmitting step further includes adding the information on said selected state of the user before transmission.

5. (Previously Presented) A location reporting method as described in one of Claims 1 -4, wherein, said transmitting step includes substituting said acquired information for a predetermined character string contained in said down data and transmits, to said computer, said information as said up data.

6. (Previously Presented) A location reporting method as described in one of Claims 1 - 4, wherein, said down data contains information indicating address to which location information is to be transmitted.

7. (Original) A location reporting method as described in Claim 1,  
wherein said down data contains a plurality of addresses;  
wherein, said steps performed by said mobile communication terminal include the step of: obtaining said plurality of the addresses from said down data; and  
wherein, said transmitting step includes transmitting said data to said plurality of the addresses in succession.

8. (Original) A location reporting method as described in Claim 1, wherein,  
after said down data is received, said location information are acquired and transmitted at predetermined intervals.

9. (Original) A location reporting method as described in Claim 8, wherein,

Serial No. 09/980,434

Filed: November 28, 2001

said transmitting step includes transmitting said location information acquired at said predetermined intervals, during the period from the time point to another time point designated by said down data.

10. (Original) A location reporting method as described in Claim 8, wherein,  
said transmitting step includes, after accumulating said location information acquired at said predetermined intervals, transmitting said accumulated data at a time point designated by said down data.

11. (Original) A location reporting method as described in Claim 1, wherein,  
said acquiring step includes generating, by said mobile communication terminal, the location of itself using a global positioning system.

12. (Original) A location reporting method as described in Claim 1, wherein,  
said acquiring step includes the steps of:  
transmitting, by said mobile communication terminal, a request signal requesting a predetermined node of said mobile communication network to generate the location information;  
generating, by said predetermined node, the location information of said mobile communication terminal in response to said request signal and transmitting said location information to said terminal; and  
receiving, by said mobile communication terminal, the location information transmitted from said node.

13. (Original) A location reporting method as described in Claim 12, further comprising the step of: receiving, by said mobile communication terminal, radio waves transmitted from a plurality of satellites constituting a global positioning system;  
wherein, said step of transmitting request signal includes transmitting information contained in a plurality of said received radio waves, together with said request signal; and  
wherein, said step of generating location information includes generating said location information using the information contained in said plurality of radio waves.

Serial No. 09/980,434

Filed: November 28, 2001

14. (Original) A location reporting method as described in Claim 1,  
wherein, disclosure information indicating whether said location information is to be disclosed to a computer is stored, in advance, in a predetermined storage means; and  
wherein, said transmitting step includes adding, in the case of receiving down data from said computer to which said location information is to be disclosed, said acquired location information to said received data and transmitting said data to said computer as up data.
15. (Original) A location reporting method as described in Claim 14,  
wherein, said transmitting step includes transmitting, in the case of receiving down data from a computer to which the location information is not to be disclosed, a notice of rejecting the provision of the location information to said computer.
16. (Original) A location reporting method as described in Claim 1,  
wherein, said down data contains information designating a method of location measurement;  
wherein, said acquiring step is capable of acquiring location information by a plurality of different location measuring methods and includes the step of selecting a location measuring method designated by said down data from among said plurality of said location measuring methods; and  
wherein, said transmitting step includes transmitting, carried on said up data, the location information acquired by said selected location measuring method in said acquiring step.
17. (Original) A location reporting method as described in Claim 16,  
wherein, said down data contains data designating a quality condition of location information; and  
wherein, said step of selecting a location measuring method includes selecting a location measuring method based on said designated quality condition.
18. (Original) A location reporting method as described in Claim 16, wherein,

Serial No. 09/980,434

Filed: November 28, 2001

said location measuring method includes any one of a method of using a global positioning system and, a method of identifying a base station covering a range in which said mobile communication terminal is located.

19. (Original) A location reporting method as described in Claim 16, wherein, said location information contains:  
latitude and longitude; or  
information based on an administrative classification.
20. (Original) A location reporting method as described in Claim 1, wherein, said computer is an information providing server for providing said mobile communication terminal with location-related information relating to the location of said mobile communication terminal.
21. (Original) A location reporting method as described in Claim 1, wherein, said computer is a terminal connected to a network and capable of transmitting and receiving data by radio or wire.
22. (Original) A location reporting method as described in Claim 1, wherein, said mobile communication terminal is a portable telephone for performing phone conversations by radio.
23. (Previously Presented) A location reporting method for reporting, to a predetermined computer, location information of a mobile communication terminal acquired in a mobile communication network serving the mobile communication terminal which is capable of performing radio communication, comprising the steps of:  
acquiring by said mobile communication terminal location information indicating the location of itself for use by a destination mobile communication terminal;  
said mobile communication terminal retrieving from memory a pre-stored network address indicative of a server that provides map location information that is accessible by said destination mobile communication terminal in conjunction with said location information; and

Serial No. 09/980,434

Filed: November 28, 2001

transmitting, by said mobile communication terminal, said network address for receipt by said destination mobile communication terminal after adding said acquired location information to said network address.

24. (Original) A location reporting method as described in Claim 23, wherein, said acquiring step includes generating by said mobile communication terminal the location of itself using a global positioning system (hereinafter referred to as the GPS).

25. (Original) A location reporting method as described in Claim 23, wherein, said computer is a terminal connected to a network and capable of transmitting and receiving data by radio or wire.

26. (Original) A location reporting method as described in Claim 23, wherein, said mobile communication terminal is a portable telephone for performing phone conversations by radio.

27. (Previously Presented) A mobile communication terminal, comprising:  
receiving means for receiving down data containing a request for location information from a computer through a mobile communication network;  
acquiring means for acquiring the location information indicating a location of itself; and  
transmitting means for adding said acquired location information to said received data, wherein said transmitting means is further configured to transmit said data as up data to said computer.

28. (Original) A mobile communication terminal as described in Claim 27, further comprising:

means for detecting whether said down data contains a character string requesting location information acquisition time;

wherein, said acquiring means further acquires said location information acquisition time;  
and

Serial No. 09/980,434

Filed: November 28, 2001

wherein, said transmitting means further adds said acquired location information acquisition time before transmission.

29. (Original) A mobile communication terminal as described in Claim 27, further comprising:

means for detecting whether said down data contains a character string requesting information on a state of a user; and

means for determining the state of the user of said mobile communication terminal from said acquired location information; and

wherein, said transmitting means further adds the information on said determined state of the user before transmission.

30. (Original) A mobile communication terminal as described in Claim 27, further comprising:

means for detecting whether said down data contains a character string requesting information on a state of a user; and

means for prompting the user of said mobile communication terminal to select his/her own state; and

wherein, said transmitting means further adds information on said selected state of the user before transmission.

31. (Previously Presented) A mobile communication terminal as described in one of Claims 27 - 30, wherein, said transmitting means is configured to substitute said acquired information for a predetermined character string contained in said down data and transmit said information to said computer as said up data.

32. (Original) A mobile communication terminal as described in Claim 27, further comprising:

means for detecting whether said down data contains a plurality of addresses; and

means for obtaining said plurality of the addresses from said down data; and

Serial No. 09/980,434

Filed: November 28, 2001

wherein, said transmitting means transmits said data to each of said plurality of the addresses in succession.

33. (Original) A mobile communication terminal as described in Claim 27, wherein, after receiving said down data, said location information are acquired at predetermined intervals before transmission.

34. (Original) A mobile communication terminal as described in Claim 33, wherein, said transmitting means transmits said location information acquired at said predetermined intervals during the period from a time point to another time point designated by said down data.

35. (Original) A mobile communication terminal as described in Claim 33, wherein, said transmitting means accumulates said location information acquired at said predetermined intervals before transmitting said location information at a time point designated by said down data.

36. (Original) A mobile communication terminal as described in Claim 27, wherein, said acquiring means generates its location using a global positioning system.

37. (Original) A mobile communication terminal as described in Claim 27, wherein, said acquiring means includes:  
request transmitting means for transmitting a request signal requesting a predetermined node of said mobile communication network to generate the location information; and  
location information receiving means for receiving the location information transmitted, in response to said request signal, from said node.

38. (Original) A mobile communication terminal as described in Claim 37, further comprising:



Serial No. 09/980,434

Filed: November 28, 2001

means for receiving radio waves transmitted from a plurality of satellites constituting a global positioning system,

wherein, said request signal transmitting means transmits information contained in said plurality of received radio waves, together with said request signal.

39. (Original) A mobile communication terminal as described in Claim 27, wherein, said acquiring means is capable of acquiring location information by a plurality of different location measuring methods, and said down data contains information designating a location measuring method;

wherein, said acquiring means includes means for selecting a location measuring method designated by said down data, from among said plurality of the location measuring methods; and

wherein, said transmitting means transmits, carried on said up data, location information acquired by said acquiring means according to said selected location measuring method.

40. (Original) A mobile communication terminal as described in Claim 39, wherein said down data contains data designating a quality condition of location information; and wherein, said means for selecting a location measuring method selects a location measuring method based on said designated quality condition.

41. (Original) A mobile communication terminal as described in Claim 39, wherein, said location measuring method includes either one of  
a method using a global positioning system, or  
a method of identifying a base station covering an area in which said mobile communication terminal is located.

42. (Original) A mobile communication terminal as described in Claim 39, wherein said location information contains:  
latitude and longitude; or  
information based on an administrative classification.

Serial No. 09/980,434

Filed: November 28, 2001

43. (Original) A mobile communication terminal as described in Claim 27, further comprising:

storage means for storing disclosure information indicating whether said computer requesting the location information of the mobile communication terminal is a computer to which said information is to be disclosed,

wherein, said transmitting means adds, in the case of receiving down data from said computer to which said location information is to be disclosed, said acquired location information to said received data before transmitting to said computer as up data.

44. (Original) A mobile communication terminal as described in Claim 43, wherein,

said transmitting means transmits, in the case of receiving down data from a computer to which said location information is not to be disclosed, a notice for rejecting the provision of the location information.

45. (Original) A mobile communication terminal as described in Claim 27, wherein

said mobile communication terminal is a portable telephone for performing phone conversations by radio.

46. (Currently Amended) A mobile communication terminal served by a mobile communication network and reporting location information of itself to a predetermined computer, comprising:

acquiring means for acquiring location information indicating the location of itself, for use by an arbitrary terminal; and

transmitting means for adding said acquired location information to a network address of a server configured to supply map information based on said location information, said map information displayable by said arbitrary terminal,

wherein said transmitting means is configured to transmit said address and said location information for receipt by said arbitrary terminal to allow the present location of said mobile

Serial No. 09/980,434

Filed: November 28, 2001

communication terminal to be mapped by said arbitrary terminal using said location information and said network address to obtain map information.

47. (Previously Presented) A mobile communication terminal as described in Claim 46, wherein, said acquiring means generates the location of itself using a global positioning system.

48. (Original) A mobile communication terminal as described in Claim 46, wherein, said mobile communication terminal is a portable telephone for performing phone conversations by radio.

49. (Previously Presented) A mobile communication terminal, comprising:

a radio unit configured to receive wirelessly transmitted down data that includes a request for a current location of said mobile communication terminal;

a microcomputer configured to direct the acquisition of location information indicative of a current location of said mobile communication terminal in response to the existence of said request;

wherein said microcomputer is configured to replace a portion of said received data with said acquired location information; and

wherein, after replacement with said location information, said radio unit is configured to wirelessly transmit said data as up data in response to said request.

50. (Previously Presented) The mobile communication terminal of claim 49, wherein said down data includes a predetermined datastring that is said request for location information, said microcomputer configured to replace said predetermined data string with said location information.

51. (Previously Presented) The mobile communication terminal of claim 49, wherein said down data includes a request in the form of a predetermined data string that is a request for a state of a user, wherein said state comprises a selectable status indication of a user.

Serial No. 09/980,434

Filed: November 28, 2001

52. (Previously Presented) The mobile communication terminal of claim 51, wherein said selectable status indication is determinable by said microcomputer.

53. (Previously Presented) The mobile communication terminal of claim 51, wherein said selectable status indication is manually selectable by a user of said mobile communication terminal.

54. (Previously Presented) The mobile communication terminal of claim 51, wherein said selectable status indication is at least one of at home, moving in a car, moving on a train, or in a meeting.

55. (Previously Presented) The mobile communication terminal of claim 49, wherein said microcomputer is further configured to determine, prior to transmission of said location information, whether the source of said down data is authorized to receive said location information.

56. (Previously Presented) The mobile communication terminal of claim 49, further comprising an information display unit configured to display a menu that includes selectable menu items in response to receipt of said down data, wherein at least some of said menu items include a datastring that is a request for location information.

57. (Previously Presented) The mobile communication terminal of claim 49, wherein said down data includes a plurality of destination addresses and said up data is transmittable in succession to each of said destination addresses.

58. (Previously Presented) The mobile communication terminal of claim 49, wherein said microcomputer is configured to direct the acquisition of location information at predetermined time intervals, and said radio unit is configured to transmit said up data each time said location information is acquired until a time specified in said down data is reached.

Serial No. 09/980,434

Filed: November 28, 2001

59. (Previously Presented) The mobile communication terminal of claim 49, wherein said radio unit is configured to transmit said up data at a time specified in said down data.

60. (Previously Presented) The mobile communication terminal of claim 49, wherein said down data includes information designating a location information measurement method, wherein said microcomputer is configured direct the acquisition of location information with the designated location information measurement method.

61. (Previously Presented) A location reporting method as described in Claim 5, wherein said receiving step includes:

displaying menu items in a menu window of said mobile communication terminal based on said down data;

receiving an input operation with said mobile communication terminal to select one of said menu items; and

determining whether said predetermined character string is embedded in said selected one of said menu items.

62. (Previously Presented) A mobile communication terminal as described in Claim 31, further comprising:

means for displaying a menu window that includes menu items based on said down data;

means for accepting selection of one of said menu items; and

means for determining if said predetermined character string is embedded in said selected one of said menu items.